


Pigs & Poultry - Towards net zero

The greenhouse gases arising from pig and poultry production are: methane, nitrous oxide and carbon dioxide. Whilst ammonia is not a key greenhouse gas, it can impact the environment negatively through nitrogen deposition and soil acidification.

Figure 1 Emissions from British Pork¹



Emission challenges

Feed

The main challenge to achieving net zero in the pig and poultry supply chain is feed (Figure 1). Feed contributes 78% of total emission during broiler production, 69% of emission during layer production and 64% for pork². Feed conversion efficiency and growth rate dictate feed requirement and are also critical influencers of emissions from housing, manure storage and spreading.

Energy demand

Pig and poultry systems require extensive amounts of energy to provide automatic feeders, drinkers, weigh scales, ventilation, heating, egg collection belt, automatic muck belt and cooling systems. This requirement equates to 37% of emissions from production of eggs and 41% of the emissions from chicken meat². Climate change is anticipated to result in a greater need for energy to cool, heat or modify the relative humidity of housing and is expected to make reliance on energy more critical.

Manure management

Manure management is also a challenge to both pig and poultry systems. The way manure is contained and managed within the housing impacts the levels of emissions. Emissions from manure continue during storage and spreading to land. Inadequate storage or unsuitable equipment can force spreading to occur at times of high pollution risk and lower utilisation of nutrient value thereby increasing emissions.

Future climate impacts

Higher temperatures caused by climate change, coupled with increased UV levels will make housing conditions harder to control. Pigs and poultry are susceptible to heat stress with negative consequences for production and welfare. The types of crops grown for feed and security of supply are expected to also change in a future climate. This may mean new feeding techniques, or genetic adaptation of livestock may be necessary.

Chickens



Globally, chickens are estimated to emit approximately 8% of total emissions from the livestock sector³.

Pigs



10% of the UK pig herd in 2018 was in Scotland⁴.

Farm performance



Scotland had over 317,000 pigs in 2018 valued at over £88 million⁴.

Poultry



Scotland's egg and chicken meat production is at a high with a value over £147 million⁴.

Short term solutions to reduce emissions

Precision feeding

Precision feeding systems are capable of feeding each pen or area individually. Dietary changes can be made very quickly in response to growth rate, health status, or need for diet adaptation if any ingredient becomes scarce or unavailable. Such systems, especially when combined with real time growth weight monitoring such as weighing or visual image analysis can deliver very high levels of performance and efficiency, potentially offering big gains in emission reduction.

Carbon offsetting

Carbon offsetting can be achieved in pig and poultry systems. Planting buffer strips with trees around poultry and pig houses will sequester carbon dioxide, absorb ammonia and help aid water quality improvements. Many free-range poultry systems and organic certification standards integrate egg production with agroforestry system, with up to 20% tree coverage in the ranges. The Soil Association has now updated their standard that a minimum of 5% tree cover in poultry ranges is required. This system must be treated with caution, however, as incorporating more trees in a range could potentially increase the chance of migrating birds in the range and subsequently avian influenza.

Longer term investments

Housing and manure management

Low emissions housing provides good quality air and lying surfaces for livestock, giving health and behaviour benefits. Underfloor heating is an industry standard aimed at distributing heat in poultry houses evenly and managing litter. There is now the ability to use ground source heating to provide the energy requirement. Frequent removal of slurry or manure from pig housing also helps lower emissions and creates better air quality and hygiene for animals.

Other infrastructure upgrades that will assist lower emissions from manure include:

- ▶ Covering slurry stores with either a floating or hard cover or using slurry bags.
- ▶ Using low emission slurry spreading equipment such as trailing hose, trailing shoe or injection systems (30 - 60% emission reduction).
- ▶ On-farm and on-tanker slurry analysis equipment combined with GPS that will allow slurries and manures to be applied with precision.
- ▶ Slurry separation systems to enable the essential plant nutrients to be partitioned.
- ▶ Slurry acidification systems to reduce pH through the controlled application of industrial grade acids to reduce methane emissions by up to 90% and ammonia by 65%.

Energy

Renewable energy is a great way to reduce emissions from fossil fuel use in pig and poultry units. Established renewable energy sources include solar panels, biomass boilers, small scale anaerobic digestion plants and ground source heating. Air and ground source heat pumps can be used to cool air entering a building to help optimise internal temperature and humidity and also reduce the required ventilation rate saving energy needed to drive fans.

Pigs and poultry units produce considerable quantities of heat. This heat can be captured and used in hot water heating systems elsewhere either on or off the farm. Exhaust air heat recovery can now be incorporated into air cleaning (scrubber) systems which reduce odour or ammonia, or both. The energy recovered can offset the cost of the air cleaning in the correct situation.

Slurry within a pig house is a significant heat reservoir. Ground source heat pump technology can be applied to harvest this energy. Slurry cooling will also aid with reducing ammonia emissions from pig housing of up to 55%.

The information contained in this factsheet is for general purposes only and is not intended to constitute legal or professional advice. You should seek specialist advice should you have specific queries. This factsheet is prepared by/ based on information from third parties and is believed to be correct. However, neither Bank of Scotland plc nor its employees, officers or agents warrants its accuracy or completeness or accepts responsibility for any losses or damages whatsoever caused by reliance on information contained in this factsheet.



bankofscotland.co.uk/sustainable-agriculture



To find out how we can help your business, please speak to your relationship manager.

Please contact us if you would like this information in an alternative format such as Braille, large print or audio.

Bank of Scotland plc Registered Office: The Mound, Edinburgh EH1 1YZ. Registered in Scotland no. SC327000.

References

1. ERM. LCA of British Pork. Published online 2013. https://pork.ahdb.org.uk/media/2678/lca_of_british_pork_-_final_report.pdf
2. MacLeod M, Gerber P, Mottet A, et al. Greenhouse gas emissions from pig and chicken supply chains. A global life cycle assessment. Published online 2013. <http://www.fao.org/3/i3460e/i3460e.pdf>
3. FAO. FAO - News Article: Key facts and findings. Accessed June 18, 2020. <http://www.fao.org/news/story/en/item/197623/icode/>
4. NFU Scotland. Scottish Farming Facts. Published 2020. Accessed May 28, 2020. <https://www.nfu.org.uk/farming-facts.aspx>